

Origin easifold

3000 series



perfect gentle movement

0845.4506662.

Origin easifold aluminium folding door sets are available in the full RAL colour range together with 26 different realistic wood grain finishes.

A dual colour alternative to the frames can be offered where matching decor is a requirement.

The ultimate folding door system, inside . . .



. . . and out.

Origin easi

Origin's Easifold 3000 series is designed and manufactured in the United Kingdom, and is certified to conform to every current building regulation.

Suitable for both domestic and commercial installations, the Easifold 3000 system can provide tighter security, wider openings, and an enormous choice of colours and finishes.

Secure - because the locking system and hinges are state-of-the-art, safe, reliable, and long lasting.


Improved access - because the nature of the design allows the ultimate in free-running, lightweight operation, courtesy of Easifold's unique Freeglide enclosed track system.

And a wide choice of colours - every shade in the RAL colour system, plus a range of superb wood grained finishes, giving the style of wood with the long term reliability of aluminium.

The Easifold 3000 series changes the relationship between the interior and exterior of your home or your business - by making alfresco space available, with the minimum of effort, in moments.




The easifold 3000 series.
Unique bi-folding concertina doors
to open up your home, your indoor
pool - your life.



Facts and Figures


- Polyester powder coated aluminium frame finished in a full choice of RAL colours plus over 26 different wood grain effect finishes
- Multipoint high security hook locking to the closing frame with a shoot bolt security system fitted to the intermediate door leaves makes easifold 3000 one of the safest systems produced in the uk
- High security fast loading hinges
- Internally beaded for additional security
- Designed and manufactured in the UK for UK and overseas markets
- Finger safe gaskets
- Wide range of opening variations to suit every application
- Rebated and low threshold options available
- Certified thermally efficient to exceed current building regulations L1 & L2
- Door running mechanism consists of tough nylon wheels, encasing maintenance free needle roller bearings, ensuring perfect gentle movement every time
- The finished product will not warp, rot or need varnishing. It is virtually maintenance free.
- Dual colour frames available
- Ten Year Guarantee

Physical properties



Thermal Simulation

The image below shows an infrared framing simulation. It is clearly visible how efficient the insulation properties are. This is achieved because our unique frame design incorporates polyamide thermal barrier insulators. The product was independently tested and certified to exceed building regulations LI & L2.



Origin Frames Ltd
Summerhouse Business Park,
Harefield, Middlesex. UB9 6TG.
Tel: 01895 823366 Fax: 01895 824445
E-mail: info@originframes.co.uk



For further information
visit our website at
www.originframes.co.uk
or call 01895 823366